

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	1528	710/1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:26
S2	381	710/4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:26
S3	378	710/7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:26
S4	202	710/12	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:26
S5	1418	710/62	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:26
S6	3356	S1 or S2 or S3 or S4 or S5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:26
S7	28	S6 and (virtual or logical) near2 (bridge or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:39
S8	0	S6 and ((virtual or logical) near2 (bridge or switch) with (plurality or multiple) with server with (input?output or i?o))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:28

S9	1	((virtual or logical) near2 (bridge or switch) with (plurality or multiple) with server with (input?output or i?o))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:29
S10	15	((virtual or logical) near2 (bridge or switch) with (plurality or multiple) same (server with (input?output or i?o)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:30
S11	27	((virtual or logical) near2 (bridge or switch) with (plurality or multiple) and (server with (input?output or i?o)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:30
S12	2	((virtual or logical) near2 (bridge or switch) same ((plurality or multiple) with server with (input?output or i?o)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:31
S13	28	((virtual or logical) near2 (bridge or switch) and ((plurality or multiple) with server with (input?output or i?o)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:40
S14	6155	(virtual or logical) near2 (bridge or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:40
S15	1118	(virtual or logical) adj (bridge or switch)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:40
S16	277	((virtual or logical) adj (bridge or switch)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:56

S17	2045	(plurality or multiple) near3 (server or computer) with (input?output or i?o)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:42
S18	361	((plurality or multiple) near3 (server or computer) with (input?output or i?o)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 20:12
S19	2	S16 and S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:43
S20	55	S14 and S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:44
S21	16	S14 same S17	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:44
S22	39	S20 not S21	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 20:02
S23	0	((virtual or logical) adj mapping with server with (input?output or i?o))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:57
S24	0	((virtual or logical) near2 mapping with server with (input?output or i?o))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:57

S25	14	((virtual or logical) near2 mapping same (server with (input?output or i?o)))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 19:58
S27	37	(virtual adj bridge).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 20:03
S28	123	((plurality or multiple) near (server or computer) with (input?output or i?o)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 20:12
S29	15	((plurality or multiple) near server with (input?output or i?o)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 20:31
S30	1	((plurality or multiple) near server with (plurality or multiple) near (input?output or i?o)).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 20:32
S31	34	((plurality or multiple) near server with (plurality or multiple) near (input?output or i?o))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 20:32
S32	87	virtual adj bridge	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 22:54
S33	105	(switch or bridge) near3 (coupl\$4 or connect\$4) with server with (input?output or i?o)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 23:44

S34	17	S33 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/12 23:44
S35	139353	(plurality or multiple) near3 (buffer or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 09:23
S36	10759	(plurality or multiple) near3 (multiplexer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 09:23
S37	710	S35 with S36	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 09:24
S38	107893	control near2 logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 09:24
S39	24	S37 with S38	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/08 09:24
S40	39775	switch with multiplex\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:25
S41	329	S40 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:25

S42	13	S41 with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:25
S43	11	S42 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:29
S44	108	plurality with server with (switch or router or multiplex\$4) with (buffer or memory or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:30
S45	53	S44 and ((input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:31
S46	12	S44 same ((input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:31
S47	9	S46 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:41
S48	55	(plurality or multiple) with server with (buffer or memory or queue) with (router or multiplex\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:42
S49	6	S48 with ((input near2 output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:43

S50	6	S49 not @Ad>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:46
S51	17417	switch with (router or mutliplex\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:46
S52	3448	S51 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:46
S53	46	S51 with ((plurality or multiple) near3 (buffer or memory or queue))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:47
S54	38	S53 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 10:48
S55	15918	(plurality or multiple) near4 (server with (input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:33
S56	2381	S55 and "710"\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:32
S57	1724	S55.ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:32

S58	1360625	S57 @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:33
S59	1599	S57 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:33
S60	323	S59 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:33
S61	9689	(plurality or multiple) near2 (server with (input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:34
S62	6698	(plurality or multiple) near (server with (input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:35
S63	1269	S62 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:34
S64	6767	(plurality or multiple) near (server near5 (input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:39
S65	69	S55 with cpu with (memory or queue or buffer) with port	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:38

S66	14	S65 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:38
S67	13	S66 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:38
S68	1279497	(plurality or multiple) near server near5 (input near output) or I?O	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:40
S69	23	(plurality or multiple) near server near ((input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:41
S70	22	(plurality or multiple) near server near ((plurality or multiple) near (input near output) or I?O)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:41
S71	17	S70 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:42
S72	1	S71 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 14:42
S73	2	"6131117".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 15:18

S74	2	"5960189".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 15:19
S75	2	"4773005".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 15:19
S76	2	"5226079".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/14 15:19
S77	7390	(plurality or multiple) with (buffer or queue or memory) with (multiplex\$4 or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:50
S78	2699	S77 with (control\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:50
S79	783	S78 with input with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:51
S80	10	S79 with (server or master)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:51
S81	9	S80 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 09:52

S82	2197	(plurality or multiple) with (buffer or queue or memory) with (plurality or multiple) with (multiplex\$4 or router) with (control or manage\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:45
S83	1763	S82 and (input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:48
S84	69	S83 and "709"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:46
S85	44	S84 and (server or host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:54
S86	43	S85 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:47
S87	645	S82 with(input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:48
S88	645	S87 with (input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:48
S89	12	S88 with (server or host)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:49

S90	12	S89 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/15 14:50
S91	4484	(plurality or multiple) with (buffer or queue or memory) with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:19
S92	1233	S91 with (control or management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:36
S93	4	S92 with (server or master) with input with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:39
S94	1789	S91 same (control or management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:36
S95	1233	S92 same (control or management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:36
S96	11	S92 same (server or master) with input with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:39
S97	7	S96 not S93	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 10:51

S98	114	(plurality or multiple) same (buffer or queue or storage or memory) same (multiplexer or router) same (control or management) same (server or master) same (input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:01
S99	13	S98 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:16
S100	242229	(plurality or multiple) with (buffer or queue or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:22
S101	123	S100 with (plurality or multiple) with (multiplexer or router) with (plurality or multiple) with (server or master)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:24
S102	9	S101 and (control near logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:26
S103	12	S101 and (control near5 logic)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:30
S104	1200	(plurality or multiple) with (server or master) with (input near output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:33
S105	275	S104 with (buffer or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:49

S10 6	4	S105 with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:34
S10 7	275	S104 with (plurality or multiple) with (buffer or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:49
S10 8	94912	(multiple or plurality) with (server or master)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:58
S10 9	160296	(multiple or plurality) with (input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:58
S11 0	254056	(multiple or plurality) with (buffer or memory or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:59
S11 1	12678	(multiple or plurality) with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:15
S11 2	214474	(control or management) with logic	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 11:59
S11 3	13	S108 same S109 same S110 same S111	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:09

S11 4	0	S113 same "I34"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:00
S11 5	564	S108 same S109 same S110	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:11
S11 6	2082	S111 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:10
S11 7	200	S111 same S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:12
S11 8	200	S116 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:10
S11 9	6	S115 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:11
S12 0	6	S115 same S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:14
S12 1	2082	S111 and S112	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:12

S12 2	200	S116 and S117	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:12
S12 3	200	S121 and S122	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:12
S12 4	0	(S115 same S117).ab,ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:14
S12 5	33580	(multiple or plurality) with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:28
S12 6	63355	(multiple or plurality) near5 (server or master)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:29
S12 7	358	S126 same (plurality or multiple) near3 (input near3 output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:30
S12 8	1015	S125 with S126	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 12:31
S12 9	10	S128 same S127	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 13:20

S13 0	3	modular near data near transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:28
S13 1	30	modular near3 data near3 transfer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:30
S13 2	6	S131 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:32
S13 3	0	S132 not S131	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:32
S13 4	24	S131 not S132	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:33
S13 5	0	S134 and (server same input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:34
S13 6	3	S134 and server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:35
S13 7	23126	server same input with output	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:36

S13 8	9628	S137 same (buffer or memory or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:36
S13 9	343	S138 same (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:37
S14 0	142	S139 same (management or control)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:37
S14 1	15	S140 same (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:39
S14 2	12	S141 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:53
S14 3	3277	plurality with server with (input or output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:59
S14 4	509	S143 with (buffer or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:55
S14 5	33580	(plurality or multiple) with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:56

S14 6	5964	S145 with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:56
S14 7	667	S146 with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:57
S14 8	1	S144 and S147	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:59
S14 9	766	plurality with server with (input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 14:59
S15 0	24765	(plurality or multiple) with (input with output) with (buffer or memory or queue)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:00
S15 1	848	S146 and S150	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:00
S15 2	82	S151 and "710"\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:01
S15 3	76	S152 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:36

S15 4	4484	(plurality or multiple) with (buffer or memory or queue) with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:37
S15 5	1233	S154 with (control or management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:37
S15 6	1220	S154 with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:38
S15 7	120	S156 with switch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 15:38
S15 8	5	S157 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:00
S15 9	4484	(plurality or multiple) with (buffer or queue or memory) with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:01
S16 0	0	S159 with (control near manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:01
S16 1	1220	S159 with (control or manage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:02

S16 2	413	S161 with (input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:04
S16 3	23993	S162 "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:04
S16 4	44	S162 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:04
S16 5	42	S164 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:31
S16 6	267	switch with (buffer or memory or queue) with input with output with (mux or mutliplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:39
S16 7	67	S166 with (plurality or multiple)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:40
S16 8	61	S167 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:40
S16 9	10	S168 and "710"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:40

S17 0	4	S168 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/19 16:41
S17 1	57	S168 not S170	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:06
S17 2	39846	switch with multiplex\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:16
S17 3	29560	switch with multiplex\$3	US-PGPUB; USPAT; USOCR	OR	ON	2005/09/20 13:17
S17 4	331	S172 with server	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:18
S17 5	13	S174 with buffer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 13:18
S17 6	254318	(plurality or multiple) with (buffer or queue or memory)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:06
S17 7	33633	(plurality or multiple) with (multiplexer or router)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:07
S17 8	769075	switch with (control or management)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:07

S17 9	1162	S178 same S177	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:08
S18 0	6608	S178 same S176	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:08
S18 1	215	S179 and S180	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:08
S18 2	9	S181 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:08
S18 3	9	S182 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:12
S18 4	196	S181 and (input with output)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:13
S18 5	181	S184 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:13
S18 6	9	S185 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/20 15:13

S18 7	2	"6389120".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:09
S18 8	60	(initialization or reset) with logic with map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:13
S18 9	2	S188 with pin	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:16
S19 0	0	S188 and I2C with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:12
S19 1	95	I2C with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:12
S19 2	0	S191 and S188	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:12
S19 3	7071	(initialization or reset) same map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:34
S19 4	95	I2C with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:13

S19 5	0	S193 and S194	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:13
S19 6	151	I2C same JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:13
S19 7	1	S193 and S196	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:14
S19 8	2378	(initialization or reset) with map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:35
S19 9	0	S198 with pin?count	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:34
S20 0	0	S198 same pin?count	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:35
S20 1	0	S198 and pin?count	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:35
S20 2	7071	(initialization or reset) same map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:35

S20 3	92	S202 and (low near pin)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:43
S20 4	119	S202 and I2C	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:36
S20 5	0	S202 and i2c with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:36
S20 6	0	S202 and I2C with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:36
S20 7	1	S202 and I2C same JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:36
S20 8	1	("2002/0099876").URPN.	USPAT	OR	OFF	2005/09/27 14:37
S20 9	8	S203 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:39
S21 0	79	S203 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:49
S21 1	41	pin with IC with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:49

S21 2	10	pin with I?C with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:49
S21 3	10	S212 and (reset or initialize)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:51
S21 4	0	S212 same (reset or initialize)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:50
S21 5	4	S212 and "710"/\$.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:57
S21 6	0	(initialize or reset) with low?pin?count with JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:58
S21 7	0	(initialize or reset) same low?pin?count same JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:59
S21 8	0	(initialize or reset) and low?pin?count same JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:59
S21 9	0	(initialize or reset) and low?pin?count and JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:59

S22 0	26	(initialize or reset) and pin?count and JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:59
S22 1	0	(initialize or reset) same pin?count same JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 14:59
S22 2	16	(initialize or reset) and pin?count same JTAG	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:00
S22 3	14	S222 not @AD>"20030818"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/09/27 15:00